



SWEEPERS - RIDER

# 1280

The 1280 Sweeper is a compact and maneuverable ride-on sweeper with a choice of three work programs to make cleaning of large surfaces easy and efficient.

### MOST FREQUENT USE



### MAX PRODUCTIVITY

68,000 ft<sup>2</sup>/h

### BATTERY RUN TIME

2.5-5.2h

### KEY SPECS

48" cleaning path  
28 gal capacity



CONTROL PANEL



BATTERY




HIGH DUMP





**SLS™**  
SELF-LEVELLING  
SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



# 1280

.01 HIGH DUMP OF DEBRIS



.02 SELF-LEVELING BRUSH

.03 LARGE HOPPER CAPACITY

## Other Features

- Main brush with special "V" shape collects full amount of debris.
- Self-leveling mechanical system provides even pressure between brush and floor
- Dust micro-filtration (up to 3 micron) through special fabric filter
- Special flap is activated from the driver's seat for large debris collection
- Protected and waterproof control panel
- Easy to use due to intuitive commands
- Deactivation and restart of working functions simply by traction pedal
- Long life polyester washable filter.
- Filter intervals can be programmed through electronic board
- Main brush replacement without tools
- Heavy duty motors equipped with preventative protection systems

# 1280

## PRODUCTIVITY

|                              |                                     |                              |
|------------------------------|-------------------------------------|------------------------------|
| Max theoretical productivity | ft <sup>2</sup> /h - m <sup>2</sup> | 68,000/ 7,700 m <sup>2</sup> |
| Max working width            | in/mm                               | 48 in/ 1220 mm               |
| Hopper volume                | Gal/ l                              | 28 gal/ 105 l                |
| Main brush width             | in/ mm                              | 27 in/ 690 mm                |
| Max Speed                    | mph/ kph                            | 4 mph/ 6 kph                 |
| Run time                     | min                                 | 180-290                      |

## AVAILABLE ACCESSORIES

**6V 240 AH BATTERY**  
6V240E



**12V 230 AH BATTERY**  
12V100-AGM



**CHARGER WET/GEL**  
BACA00136



**BATTERY WATERING SYSTEM**  
CR-BWS-L-4



## GET RIGHT SIZED

|      | Description       | Continuous run-time | Theoretical ft <sup>2</sup> / h | Maximum Theoretical ft <sup>2</sup> /charge | Ft <sup>2</sup> charge efficiency (70%) |
|------|-------------------|---------------------|---------------------------------|---|---|
| 1280 | 240 ah Battery    | 4.0                 | 68,102                          | 272,408                                     | 190,685                                 |
| 1280 | 225ah AGM Battery | 4.0                 | 68,102                          | 272,408                                     | 190,685                                 |



Distributed by:  
 AML Equipment  
 10 Ryan Place, Unit #2 Brantford ON N3S 7S1  
 Local: 519-754-2119 Toll Free: 1-866-343-6990